



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

ATTY.'S DOCKET: SABATINI =2

In re Application of:	)	Art Unit: 1761
	)	
Nicola SABATINI	)	Examiner: C. Sayla
	)	
Appln. No.: 09/869,525	)	Washington, D.C.
	)	
Nationalized: June 29, 2001	)	Confirmation No. 4692
	)	
I.A. no.: PCT/IT00/00423	)	
I.A. filing date: October 24, 2000	)	
	)	
For: WATER SOLUBLE COMPLEX...	)	November 13, 2003

RECEIVED  
NOV 18 2003  
TC 1700

SUPPLEMENTAL REPLY

U.S. Patent and Trademark Office  
Honorable Commissioner for Patents  
2011 South Clark Place  
Customer Window, Mail Stop NON-FEE AMENDMENT  
Crystal Plaza Two, Lobby, Room 1B03  
Arlington, VA 22202

Sir:

Supplementing the Reply filed November 5, 2003,  
attached please find a proposed replacement drawing for the  
original drawing which was criticized by the official  
Draftsperson in the form PTO-948.


If the attached drawing is sufficient as a formal  
drawing, application requests that it be entered. If it is  
not sufficient as a replacement drawing, applicant requests  
that it be approved as a proposed drawing correction, whereby  
a formal drawing will be filed later.

In either event, applicant would appreciate feedback from the examiner so that applicant will know what further action, if any, may be required with respect to the drawing.

Respectfully submitted,

BROWDY AND NEIMARK, P.L.L.C.  
Attorneys for Applicant(s)

By

A handwritten signature in black ink, appearing to read "S. Neimark", written over a horizontal line.

Sheridan Neimark

Registration No. 20,520

SN:jaa  
Telephone No.: (202) 628-5197  
Facsimile No.: (202) 737-3528  
G:\BN\B\bugm\Sabatini2\PTO\Suppl Amd 13no03.doc